

Jersey Number	Height	Weight	Bench	Vertical	Agility	40-yd
1	69.0	147.0	3	30.0	4.76	4.61
2	70.0	165.0		27.0	4.44	4.96
3	71.0	184.0	23	26.0	4.76	4.74
4						
5	68.5	171.0	8	28.5	4.53	4.85
6	71.5	187.0		30.5	4.23	4.72
7	69.0	163.0	7	27.0	4.58	4.86
8	71.5	178.0		26.5	4.57	4.88
9						
10	72.0	165.0		32.5	4.14	4.81
11	70.0	183.0		24.0	4.17	4.93
12	72.5	174.0	17	25.0	4.59	
13	72.5	197.0		25.5	4.57	4.95
14	69.0	171.0	11	27.0	4.47	5.02
15	71.0	161.0		27.5	4.61	5.11
16	67.5	174.0		29.0	4.43	4.95
17	66.0	151.0	5	26.5	4.39	5.18
18	69.0	182.0		31.5	4.53	4.60
19	69.5	155.0	5	30.5	4.32	4.68
20	69.0	147.0		30.0	4.49	4.88
21	68.5	156.0		31.0	4.44	
22	69.0	199.0		26.5	4.33	
23	69.0	135.0	1	25.0	4.58	5.18
24	66.0	136.0	2	28.0	4.48	4.87
25						
26	72.5	179.0		33.0	4.19	4.70
27	69.5	168.0		30.0	4.32	4.74
28	75.0	224.0		23.0	4.63	5.18
29	70.5	207.0	25	31.5	4.21	4.88
30						
31	76.5	206.0		31.0	4.49	
32	73.0	204.0		23.5	4.60	5.03
33	71.0	184.0	11	34.0	4.30	4.87
34	71.0	170.0	3	28.5	4.44	4.83
35	69.0	179.0	13	31.5	4.17	4.46
36	71.0	183.0		33.0	4.15	4.77
37	70.5	203.0	22	24.0	4.37	4.94
38	73.5	173.0		37.5	4.44	4.52
39	73.0	214.0		32.5	4.36	4.78
40	69.5	181.0	12	28.5	4.05	4.60
41	73.5	197.0		26.0	4.29	4.77
42	69.0	196.0	14			
43	71.5	182.0		20.5	4.81	5.32
44	74.5	217.0		26.5	4.66	5.11
45	68.5	168.0		31.0	4.35	4.65
46						
47	74.5	196.0	8	30.0	4.19	4.69
48	73.5	209.0		30.5	4.57	4.99
49	71.5	179.0		25.5	4.72	5.23
50	70.5	167.0	5	28.0	4.10	5.03
51	69.0	157.0	11	31.5	4.37	4.72
52	73.0	163.0		22.0	4.43	5.07
53	71.0	162.0		28.0	4.32	4.77
54	69.0	214.0		24.0	4.90	5.26
55	74.0	235.0	22	27.5	4.73	5.32
56	70.0	188.0	15	28.5	4.59	4.82
57	69.5	194.0	14	23.0		
58	71.5	176.0	9	26.0	4.32	4.51
59	69.5	163.0		32.0	4.32	4.71
60	70.5	170.0	16	31.5	4.29	4.85
61	72.5	216.0	15	28.0	4.42	4.62
62	69.0	178.0		33.0	4.23	4.82
63	71.0	188.0	15	32.0	4.19	4.87
64	74.0	196.0		32.0	4.41	4.72
65	70.5	198.0		29.0	4.18	
66	72.5	153.0		24.0	4.82	5.28

Jersey Number	Height	Weight	Bench	Vertical	Agility	40-yd
67	74.5	181.0	8	27.5	4.38	5.09
68					4.42	
69						
70	69.5	163.0		32.0	4.59	4.87
71	73.5	203.0		29.0	4.29	5.30
72	69.0	169.0		29.5	4.83	4.88
73	71.5	172.0		30.5	4.37	4.78
74	74.5	211.0		29.5	4.50	4.83
75	73.5	226.0	12	25.5	4.54	5.09
76	72.5	172.0		28.5	4.25	4.81
77	74.0	198.0		26.5	4.67	5.00
78	71.0	165.0		29.0	4.44	4.81
79	68.5	183.0	20	29.5	4.25	4.47
80	74.5	190.0		29.5	4.32	5.10
81	74.5	206.0	16	25.5	4.27	4.90
82						
83	67.5	163.0		28.5	4.33	4.69
84	71.0	210.0				
85						
86	74.5	201.0		27.5	4.20	5.06
87	70.5	185.0		28.0	4.41	4.59
88	74.5	203.0	26	30.5	4.33	4.68
89	70.5	204.0	25	30.5	4.12	
90	70.0	222.0		23.5	4.79	5.30
91	67.5	176.0	17	31.5	4.22	4.60
92	69.5	161.0		31.0	4.44	4.68
93	70.0	209.0	22	28.5	4.51	4.96
94	76.5	207.0	18	26.0	4.45	4.73
96	71.5	186.0		32.0	4.58	5.12
97	68.5	137.0		29.0	4.30	4.73
98	70.5	157.0		29.0	4.33	4.64
99	68.5	210.0	12	25.5	4.70	5.29
100	69.0	179.0		32.5	4.31	
101	72.5	171.0		31.5	4.33	4.65
102	75.5	206.0		26.0	4.43	5.02
103	69.0	183.0		25.5	4.47	5.05
104	70.5	184.0	8	33.5	4.47	4.47
105	71.5	182.0	21	31.0	4.37	
106	75.5	249.0	15	23.0	4.63	5.26
107	69.5	173.0		28.0	4.47	
108	74.0	172.0		27.0	4.42	
109						
110	68.0	159.0	4	30.0	4.29	4.53
111	71.5	190.0	13	36.5	4.56	4.82
112	73.0	180.0		25.0	4.97	5.07
113	74.0	203.0		26.0	4.45	4.79
114	74.5	214.0	4	25.5	4.63	5.10
115	73.5	199.0	12	29.5	4.37	4.70
116	67.5	174.0		36.0	4.46	4.52
117	75.0	202.0		28.5	4.73	4.73
118	72.0	180.0		29.5	4.13	4.63
119						
120	69.0	177.0	6	31.5	4.07	4.64
121	68.5	181.0		22.0	4.37	4.56
122	69.5	158.0	7	28.5	4.31	4.70
123	75.0	202.0	11	26.5	5.36	5.03
124	68.5	171.0		28.5	4.46	4.97
125	71.5	197.0		27.5	4.72	5.09
126	75.5	209.0	9	29.5		4.71
127	71.5	195.0		27.5	4.49	
128	74.5	184.0		28.5	4.32	4.65
129	69.5	142.0	4	26.0	4.40	4.99
130	66.5	144.0	11	30.0	4.42	4.79
131	69.5	177.0		26.0	4.35	4.73
132	72.5	166.0		28.5	4.46	4.88
133	74.5	214.0	8	27.0	4.37	4.95

Jersey Number	Height	Weight	Bench	Vertical	Agility	40-yd
134	71.0	172.0		31.0	4.42	4.90
135	77.0	205.0		22.5	4.73	5.07
136	71.0	155.0		33.0	4.30	
137	68.0	155.0	13	31.0	4.29	4.67
138	72.0	172.0	12	28.0	4.35	4.80
139	75.0	186.0		29.0	4.52	4.88
140	70.5	192.0	16	27.0	4.34	4.74
141						
142	74.0	209.0	17	27.0	4.67	5.08
143	74.5	213.0	18	27.0	4.70	5.27
144	66.5	143.0		27.0	4.47	
145						
146	71.0	163.0	13	31.5	4.19	4.68
147	71.0	164.0	5	28.5	4.71	4.99
148	72.0	164.0	6	26.5	4.41	4.83
149						
150	72.0	187.0	13	32.5	4.38	4.78
151	69.5	175.0	10	27.0	4.24	4.64
152	68.5	153.0	4	27.5	4.45	4.98
153	70.5	175.0	13	26.5	4.72	4.89
154	69.0	172.0		29.5	4.22	4.70
155	72.5	207.0	6	27.0	4.68	5.13
156	75.0	196.0		30.0	4.50	4.78
157	74.5	198.0		30.0		
158	69.0	165.0		30.0	4.38	4.65
159	68.5	186.0	18	29.0	4.47	4.83
160	72.0	223.0		24.0	4.84	5.37
161	67.0	163.0	14	30.5	4.13	
162	74.0	170.0		24.5	4.37	4.98
163	75.0	235.0		27.0	4.14	4.86
164	68.5	187.0	24	30.0	4.32	4.63
165	70.5	183.0		30.5	4.35	4.88
166	70.0	184.0		28.5	4.59	4.89
167	66.5	148.0		28.5	4.58	4.67
168	68.5	177.0		33.5	4.29	
169	76.5	198.0		25.5	4.29	4.97
170	68.5	161.0				
171	67.5	149.0	5	28.0	4.53	4.72
172	71.0	215.0	23	26.5	4.35	4.93
173	74.0	195.0		29.0	4.29	4.63
174	76.0	216.0		23.0	4.73	5.32
175	72.0	170.0	14	32.0	4.45	4.59
176	72.5	167.0		27.5	4.20	4.63
177	75.5	203.0	23	27.0		
178	75.5	173.0		22.0	4.81	4.93
179	70.5	177.0	12	31.0	4.39	4.84
180	71.5	206.0		28.0	4.37	4.67
181	72.5	198.0	13	28.5	4.29	4.92
182	71.5	197.0	14	33.5	4.29	4.83
183	70.0	169.0	10	30.5	4.51	4.81
184						
185	68.5	152.0		27.0	4.45	4.99
186	68.5	176.0	10	30.0	4.30	4.75
187	72.0	187.0	12	26.5	4.69	4.90
188	69.5	190.0		26.5	4.28	4.94
189	71.5	202.0	17	30.0	4.46	4.97
190	70.5	187.0		31.0	4.76	
191	71.5	195.0		28.0	4.33	4.57
192	69.5	153.0		24.0	4.50	5.17
193	68.5	188.0	22	31.0	4.49	4.55
194	70.5	150.0		27.5	4.31	4.85
195	72.0	218.0	18	25.0	4.54	5.10
196	69.5	171.0	8	26.5	4.29	5.06
197	65.5	161.0		31.5	4.29	
198	69.5	172.0		35.0	4.18	
199	70.0	191.0	14	27.5	4.50	4.70

Jersey Number	Height	Weight	Bench	Vertical	Agility	40-yd
200	70.0	194.0		28.5	4.78	
201	72.0	220.0	15	20.5	4.54	
202	73.5	205.0	14	24.5	4.73	
204	68.5	151.0		29.0	4.20	4.74
205	71.5	222.0	15	24.5	4.72	
206	73.5	178.0		29.0	4.32	
208	72.5	179.0		25.5	4.77	
209					4.47	5.09
210	72.5	194.0		27.0	4.65	5.12
211	69.5	161.0		30.5	4.29	4.62
212	74.0	233.0	24	24.5	4.71	
215	73.5	200.0	9	30.5	4.55	5.03
216	77.0	217.0		20.5	4.78	
217	71.5	188.0		32.0	4.27	4.81
218	71.5	182.0	10	28.0	4.27	4.81
219	75.5	265.0		25.5	4.96	5.24
220	73.0	265.0	15	20.5	4.92	5.50
222	74.5	222.0	24	27.0	4.53	4.92
223	73.0	179.0		30.5	4.56	4.70
224	72.0	170.0		29.0	4.48	
225	69.0	209.0	9	25.0	4.73	5.01
226	73.5	192.0		25.5	4.57	4.99
227	68.5	196.0		27.0	4.48	4.62
228	68.5	176.0		28.5	4.36	5.01
229	71.0	163.0		28.0	4.30	
230	72.5	174.0		25.0	4.13	
232	72.5	181.0		29.5		4.61
233	74.0	199.0		22.0	4.71	5.41
234	73.5	262.0	26	28.0	4.25	5.00
236	72.5	199.0	17	25.5	4.53	4.56
238					4.27	4.75
239	75.0	215.0		24.5	4.53	4.85
240	73.5	202.0		28.5	4.36	4.80
241	74.0	192.0		25.5	4.18	5.01
243	69.5	190.0	17	28.5	4.19	4.73
245	69.0	181.0		29.0	4.43	4.94
246	74.0	295.0	16	26.0	4.75	
247	75.5	191.0	4	25.5	4.48	4.78
248					4.35	4.72
249	70.5	169.0	11	30.0	4.41	4.65
250	74.5	237.0	19	27.0	4.55	5.07
251	73.5	202.0		27.0	4.66	5.12
252	73.5	212.0	12	22.0	4.68	5.20
253	68.5	170.0	10	33.0	4.33	4.69
254	73.5	182.0	6	31.5	4.57	4.48
255	74.0	225.0	19	27.0	4.59	4.87
256	72.0	192.0		34.5	4.02	4.52
257	75.0	188.0				
259	78.5	272.0		22.0	5.07	5.89
261	73.0	187.0	14	33.0	4.14	4.65
262	70.5	160.0		30.0	4.61	4.88
265	73.5	194.0		27.0	4.57	5.22
266	76.5	197.0	12	29.0	4.33	4.82
268					4.68	
269						
271	73.5	190.0	17	37.0	4.14	4.59
272	73.5	256.0	18	20.0	4.83	5.44
273	72.0	184.0		30.0	4.23	4.71
275	69.5	168.0		31.5	4.46	4.63
276						
277	71.0	180.0		30.5	4.17	4.57
278	74.0	192.0		25.5	4.63	4.95
279	72.0	191.0		28.0	4.42	4.88
280	70.5	149.0		29.0	4.25	4.81
281	72.5	244.0		21.5	4.81	5.48
282	75.5	270.0	16	24.0	4.99	5.26

Jersey Number	Height	Weight	Bench	Vertical	Agility	40-yd
283	76.5	258.0	10	20.0	4.99	5.79
284	72.0	181.0		17.0		
285	73.0	206.0		25.0	4.55	5.28
286	72.5	168.0		28.5	4.32	4.91
287	72.5	222.0	21			
289	71.0	179.0	12	27.5	4.51	4.89
290						
291	70.0	206.0	29	37.5	4.51	4.64
293	71.0	189.0		29.5	4.53	
294	73.0	211.0	18	26.0	4.53	5.07
295	75.5	205.0		28.5	4.49	
297	70.5	163.0		22.5	4.45	4.77
298	74.5	260.0	10	18.0	5.11	5.50
299					4.50	4.65
300	74.5	202.0	14	27.5	4.31	4.83
301	72.5	195.0	12	27.5	4.49	4.93
303	71.5	202.0	20			
304					4.83	5.10
305	70.5	173.0		30.5	4.53	4.86
306	68.5	187.0		25.5	4.80	4.82
308	74.5	181.0		23.5	4.37	4.98
310	76.0	195.0		27.5	4.60	5.02
311	73.0	239.0	24	28.5	4.61	4.97
312	65.0	180.0	19	33.5	4.16	4.49
314	76.0	266.0	15	21.5	4.97	5.52
315	67.5	182.0	15	29.5	4.29	4.64
316	69.5	187.0		29.0	4.55	
317	72.0	201.0	6	28.0	4.37	4.65
318	72.5	215.0	23		4.50	
319	74.5	234.0	13	24.5	4.76	5.10
320	70.5	178.0	9	32.5	4.29	4.49
321	73.5	177.0		22.0	4.93	5.61
322	67.5	175.0		26.5	4.49	
324	74.0	263.0		21.0	5.00	5.60
325	71.5	166.0	7	33.0	4.27	4.70
328	75.0	235.0		26.0	4.72	5.02
329	72.0	197.0	14	29.0	4.51	4.84
331	74.0	266.0	19	21.5	5.03	5.63
333	74.0	187.0		29.5	4.32	
335	74.0	275.0		31.5	4.53	4.73
336	72.0	277.0	25	22.5	4.69	5.01
339	74.5	168.0		26.5	4.63	
340	70.5	210.0	21	33.5	4.27	4.63
342	73.0	256.0		25.0	5.04	
343	67.0	180.0	19	31.5	4.39	4.49
344	75.5	210.0	14	25.0	4.48	
345	72.5	200.0		28.5	4.18	4.83
346	68.0	179.0	14			
347	74.0	217.0	22			
348	71.0	179.0	17	32.5	4.08	4.80
349	74.0	222.0	13	29.0	4.87	5.06
351	75.5	192.0	19	28.0	4.52	5.06
352	73.0	232.0		24.5	4.85	5.26
354	75.5	208.0	14	28.5	4.59	4.99
356	74.5	236.0	19	25.0	4.75	5.25
357	72.5	229.0	21			
358	75.0	244.0	12	30.0	4.71	5.05
359	73.5	205.0	18	30.5	4.29	4.68
360	70.0	237.0		25.0	4.57	4.86
361						
362	71.0	200.0	25	26.0	4.50	5.09
363	75.0	224.0				
364	68.0	170.0	9	28.5	4.59	4.96
365	73.5	234.0		23.5	4.69	5.07
366	71.5	191.0		28.5	4.37	4.90
369	73.5	249.0	23	18.0	5.19	

Jersey Number	Height	Weight	Bench	Vertical	Agility	40-yd
370	71.5	186.0		25.5		
371	70.0	204.0	16	26.0	4.57	4.96
372	68.5	161.0		28.5		4.92
373	70.0	212.0		24.0	4.56	5.09
375	76.0	209.0	12	32.5	4.27	4.83
377	71.0	173.0		30.0	4.06	4.74
379		180.0	19	32.5	4.30	
380	75.5	191.0		25.0	4.54	5.10
382	71.0	196.0				
383	72.5	191.0	17	27.5	4.59	4.96
385	66.5	202.0	15	21.5	4.67	4.78
387	74.0	274.0	26	18.5	5.23	5.52
388	76.0	200.0		29.5		
389	73.5	226.0	19	29.0	4.41	4.95
392	74.5	214.0		31.0	4.53	4.76
394	74.5	205.0	7	26.5	4.65	4.92
398	73.5	226.0	18	21.5	4.92	5.07
399	69.0	183.0		29.5	4.29	4.82
400	73.0	151.0		30.5	4.41	4.75
401	74.5	298.0	27	20.5	4.83	5.43
402	74.5	215.0	14	33.0	4.53	4.92
403	69.5	164.0	9	30.5	4.27	4.69
404	76.0	208.0		38.0	4.72	4.92
405	76.5	246.0		28.0	4.86	4.97
416	75.0	196.0	27	21.5	4.85	5.59
417	71.5	190.0		24.0	4.83	5.32
418	71.0	263.0		20.0	4.76	5.64
421	74.0	256.0	15	18.5	5.00	5.79
422	75.0	274.0	12	20.5	4.99	5.37
423	72.5	312.0		22.5	4.87	5.39
425	74.0	228.0		22.0	4.73	5.33
426						
428	70.5	225.0		29.5	4.47	
430	75.5	291.0	24	24.0	4.96	5.55
431	76.0	286.0	18	24.0	4.80	5.33
432	74.5	226.0	23	30.5	4.32	5.03
434	76.0	256.0				
437	74.0	198.0		25.0	4.74	5.06
438	75.5	289.0	28	23.5	5.28	
439	77.5	249.0		23.5	4.80	5.02
441	74.5	257.0	28	23.5	4.67	5.13
442	74.5	266.0	17	21.0	4.71	5.21
444	77.5	274.0	17	17.0	4.87	5.62
445	75.5	295.0	31	23.0	4.65	5.39
446	75.5	280.0	10	21.0	4.80	5.27
447	74.0	222.0	16	26.5	4.56	5.23
448	72.5	298.0	27	23.0	4.96	5.38
449	73.0	295.0	18	23.0	5.04	5.52
450	74.0	267.0	15	21.5	5.13	5.97
452					4.86	5.16
458	73.5	213.0		28.0	4.68	5.11
460	78.0	289.0	20	27.0	5.13	5.52
461	75.5	259.0		21.0	5.23	5.78
463	77.0	290.0		23.5	4.54	5.18
474	70.0	200.0		26.5	4.24	4.90
475	74.5	289.0	14	22.5	4.83	5.29
477	75.0	234.0	10	26.0	4.80	
480	72.5	255.0		23.5	4.73	5.20
481	75.5	269.0	16	35.0	4.81	5.20
489	75.0	302.0	17	32.0	5.12	5.89
491	74.5	283.0		19.5	5.18	5.69
499						
501	79.0	223.0		29.5	4.34	5.00
503	71.5	207.0		32.5	4.65	4.67
504	72.0	229.0	21	26.5	4.63	4.93
505	68.5	161.0	13	28.0	4.41	4.75

Jersey Number	Height	Weight	Bench	Vertical	Agility	40-yd
506	76.5	236.0				
507	69.5	182.0	17	29.5	4.41	4.62
508	71.0	202.0	11	25.5	4.60	4.87
509	73.5	255.0	15	18.5	5.01	5.63
510	71.5	296.0	27	21.0	4.80	5.46
511	76.0	228.0	14	28.0		
512						
513	76.5	283.0		23.0	4.87	5.47
514	72.0	225.0		23.5	5.23	5.03
515	69.5	183.0	18	36.5	4.35	4.80
516	74.0	262.0	38	22.5	4.63	5.22
517	76.5	281.0		19.5	5.17	5.85
518	75.5	264.0	16	25.0	4.95	5.28
519	73.5	209.0		28.0	4.33	4.88
520						
521	72.5	194.0	18	24.0	4.67	5.23
522	71.0	220.0		24.5	4.56	5.19
524	76.0	272.0	21	26.0	4.67	5.25
525	75.5	286.0		21.0	4.76	5.47
528	72.5	287.0	10	19.0	5.47	5.82
529	70.5	209.0	34	26.0	4.17	5.06
530	70.0	225.0	20	24.5	4.79	5.02
531	73.5	193.0	23	31.0	4.49	4.71
532	75.0	295.0	21	19.5	5.27	5.92
534	73.0	272.0	19	19.0	5.14	
536	72.5	185.0		28.0	4.34	4.95
539	76.0	255.0		25.0	4.97	5.23
541	74.5	287.0	17	24.0	4.95	5.40
543	71.5	291.0	41	24.5	4.81	5.06
545	73.0	302.0	25	23.5	4.87	
546	75.5	289.0		24.0	5.07	5.69
547	73.5	314.0	18	26.0	5.02	5.53
548	76.5	248.0		24.0	4.99	5.33
549	72.5	280.0	16	21.5	4.72	5.74
550	75.5	282.0		30.0	5.36	6.03
552	76.5	317.0		19.0	5.02	5.63
554	72.5	254.0		28.5	4.38	4.86
555	75.5	322.0		19.5	5.10	
558	74.5	299.0	12	24.0	5.13	
559	75.5	273.0	16	19.0	5.17	5.47
560	72.0	184.0		29.5	4.59	4.61
561	74.5	328.0	23	19.0	5.17	5.54
562	71.5	346.0	16	17.0	5.29	6.05
563	73.0	298.0	24	24.0	5.02	5.36
566	73.5	302.0	13	17.5	5.32	5.78
568	71.0	273.0	22	24.0	4.94	5.33
569	77.5	291.0	18	21.5	4.86	5.39
572	72.0	303.0	21	16.5	4.99	5.72
574						
576	75.0	219.0				
577	76.5	293.0	23	24.5	5.12	5.45
578	72.5	186.0		28.5	4.58	4.84
581	71.5	254.0	11	22.0	5.01	5.52
582	74.0	256.0		28.5	4.54	5.22
586	76.5	341.0	11	20.5	5.51	6.09
587	77.5	292.0		25.0	4.89	5.18
588	69.0	303.0	20	22.0	5.13	5.62
589	75.5	289.0	20	17.0	4.97	5.78
590	74.5	275.0		25.5	5.00	5.12
592	75.0	212.0		26.0	4.66	4.99
595	74.0	190.0		32.0	4.52	4.82
596	75.5	301.0	25	21.0	4.85	5.58
597	73.0	276.0	6	18.0	5.49	6.12
598	75.5	253.0	18	19.5	4.87	5.70
599	77.5	298.0		21.5	4.96	5.71

<b>Jersey Number</b>	<b>Height</b>	<b>Weight</b>	<b>Bench</b>	<b>Vertical</b>	<b>Agility</b>	<b>40-yd</b>
600	70.5	325.0		17.5	5.23	5.97
604	79.0	309.0	24	19.5	5.34	5.88
608	74.5	333.0	26	26.0	5.06	5.54
610	72.5	297.0	13	21.5	5.18	5.62
611	76.5	292.0	19	21.0	5.23	5.47
617	74.5	326.0	27	26.0	5.32	5.63
623	75.0	317.0		21.0	5.39	5.98
625	77.5	271.0		23.5	4.87	5.65